

In the claims:

1. (currently amended) A method of using a graphical user interface to navigate a media center, comprising:

displaying a remote control icon that is a three-dimensional representation of a physical universal remote control of the media center; and

in response to a user inputting a command by pressing a button of the physical universal remote control, updating said three-dimensional representation to display a three-dimensional animation of the button being depressed on the three-dimensional representation of the physical universal remote control to indicate to the user that the command was received by the media center, wherein updating said three-dimensional representation comprises displaying a three-dimensional perspective view of the button being depressed on the three-dimensional representation of the physical universal remote control.

2-3. (cancelled)

4. (previously presented) The method of claim 1, wherein said command is a command to select one of a plurality of media devices.

5-6. (cancelled)

7. (previously presented) The method of claim 1, wherein said displaying comprises: displaying media device icons for a plurality of media devices controlled by the physical universal remote control.

8. (original) The method of claim 7, wherein said plurality of media devices includes at least one of a TV receiver, DVR, PVR, EPG, CD player, DVD player, interactive electronic game, digital radio, or an Internet appliance.

9-11. (cancelled)

12. (original) The method of claim 7, wherein said media device icons comprise three-dimensional representations of media devices.

13. (previously presented) The method of claim 7, wherein:

a first media center icon is a media player icon having a window disposed on a front surface for displaying media, a back surface, and a side surface connecting said front and back surfaces; and

said updating further comprises in response to a command to change from a first media device to a second media device:

rotating said first media player icon from a front view to a side view; and

opening the second media player icon;

wherein a portion of the side of said first media player icon remains unobstructed from view by said second media player.

14. (previously presented) The method of claim 13, wherein said first media player icon is activated by selecting an unobstructed portion of said first media player icon.

15. (cancelled)

16. (previously presented) The method of claim 1, wherein the remote control icon has buttons representing a plurality of media control buttons of said physical universal remote control; said buttons of the remote control icon being updatable to represent processing of commands received from said physical universal remote control.

17. (previously presented) The method of claim 16 further comprising displaying at least one media center icon, wherein said at least one media center icon comprises:

a media player icon having a window disposed on a front surface for displaying media content, a back surface, and at least one side surface;

wherein a front view and a side view of the media player icon may be displayed.

18. (cancelled)

19. (currently amended) A media center, comprising:
- a display;
 - a universal remote control having a plurality of buttons to control a plurality of media devices of the media center;
 - a computer and associated graphics processor, the computer receiving commands from the universal remote control;
 - said computer displaying three-dimensional media center icons to represent attributes of said media center including generating a remote control icon that is a three-dimensional representation of the universal remote control and updating said three-dimensional representation to display a three-dimensional animation of the button being depressed on the three-dimensional representation of the universal remote control to indicate to the user that corresponding commands are received by the media center, wherein updating said three-dimensional representation comprises displaying a three-dimensional perspective view of the button being depressed on the three-dimensional representation of the physical universal remote control.
20. (cancelled)
21. (previously presented) The media center of claim 19, where said computer is configured to display media center icons for a stack of entertainment devices based on which button of said universal remote control is pressed.
22. (original) The media center of claim 19, wherein said computer is configured to display media center icons for a plurality of media devices and their associated connections during a setup step for establishing media device connections.
23. (original) The media center of claim 19, wherein said computer is configured to display media center icons comprising media player icons.

24. (original) The media center of claim 23, wherein at least one media center icon is an inactive media window icon corresponding to an edge-view of a media player icon.

25-36. (cancelled)

37. (previously presented) The method of claim 1, wherein said three-dimensional representation is a digital photo representation of the actual remote control.

38. (previously presented) The media center of claim 19, wherein said three-dimensional representation is a digital photo representation of the actual remote control.

39. (previously presented) The method of claim 13, wherein at least one media player icon has a video texture mapped onto a display surface of the media center icon.

40. (previously presented) The method of claim 17, wherein said at least one media player icon has a video texture mapped onto a display surface of the media center icon.

41. (previously presented) The media center of claim 19, wherein said at least one media player icon has a video texture mapped onto a display surface of the media center icon.